

## Seznam použité literatury

AHMED W., & kol.: Decay of SARS-CoV-2 and surrogate murine hepatitis virus RNA in untreated wastewater to inform application in wastewater-based epidemiology, *Environmental Research*, 2020a

AHMED, W. & kol.: Surveillance of SARS-CoV-2 RNA in wastewater: Methods optimisation and quality control are crucial for generating reliable public health information, *Current Opinion in Environmental Science & Health*, 2020

Ahmed, W., Angel, N., Edson, J., et al.: First confirmed detection of SARS-CoV-2 in untreated wastewater in Australia: A proof of concept for the wastewater surveillance of COVID-19 in the community, *Science of the Total Environment* (2020), <https://doi.org/10.1016/j.scitotenv.2020.138764>

AL-KURAI SHY, Hayder M., Ali I. AL-GAREEB, Khalid J. ALZHRANI, Natália CRUZ-MARTINS a Gaber El-Saber BATIHA.: The potential role of neopterin in Covid-19: a new perspective. *Molecular and Cellular Biochemistry*. 2021, 476(11), 4161-4166. ISSN 0300-8177. Dostupné z: doi:10.1007/s11010-021-04232-z

ALLEGRI, Gabriella, Heleno José Bezerra COSTA NETTO, Luiz Nelson Lopes FERREIRA GOMES, Maria Lúcia COSTA DE OLIVEIRA, Fernanda Bertão SCALCO a Francisco Radler DE AQUINO NETO.: Determination of six pterins in urine by LC-MS/MS. *Bioanalysis*. 2012, 4(14), 1739-1746. ISSN 1757-6180. Dostupné z: doi:10.4155/bio.12.131

Aminul Islam et al.: A 30-day follow-up study on the prevalence of SARS-COV-2 genetic markers in wastewater from the residence of COVID-19 patient and comparison with clinical positivity, *Science of The Total Environment*, 2022,159350,ISSN 0048-9697,

AYLING, June E., M. Gopal NAIR a Charles M. BAUGH, ed.: *Chemistry and Biology of Pteridines and Folates*. 1. New York: Springer New York, NY, 1993. ISBN 978-1-4615-2960-6.

BELLMANN-WEILER, Rosa, Lukas LANSER, Francesco BURKERT, et al.: Neopterin Predicts Disease Severity in Hospitalized Patients With COVID-19. *Open Forum Infectious Diseases*. 2021, 8(1). ISSN 2328-8957. Dostupné z: doi:10.1093/ofid/ofaa521

Bustin et al.: CoV2-ID, a MIQE-compliant sub-20-min 5-plex RT-PCR assay targeting SARS-CoV-2 for the diagnosis of COVID-19. *Sci Rep*, 2020; 10: 22214.

Bustin et al.: The MIQE Guidelines: Minimum Information for Publication of Quantitative Real-Time PCR Experiments. *Clin Chem*, 2009, 55, 611-622.

Cacace, Damiano; Fatta-Kassinos, Despo; Manaia, Celia M; Cytryn, Eddie; Kreuzinger, Norbert; Rizzo, Luigi; Karaolia, Popi; Schwartz, Thomas; Alexander, Johannes; Merlin, Christophe; Garelick, Hemda; Schmitt, Heike; de Vries, Daisy; Schwermer, Carsten U; Meric, Sureyya; Ozkal, Can Burak; Pons, Marie-Noelle; Kneis, David; Berendonk, Thomas U.: Antibiotic resistance genes in treated wastewater and in the receiving water bodies: A pan-European survey of urban settings. *Water Res*; 162: 320-330, 2019 Oct 01.

CAO, Qing, Yi-Ching CHEN, Chyi-Liang CHEN a Cheng-Hsun CHIU.: SARS-CoV-2 infection in children: Transmission dynamics and clinical characteristics. *Journal of the Formosan Medical Association*. 2020, 119(3), 670-673. DOI: 10.1016/j.jfma.2020.02.009. ISSN 09296646. Dostupné také z: <https://linkinghub.elsevier.com/retrieve/pii/S092966462030067X>

Connie Le.: Sensitivity of wastewater surveillance. What is the minimum COVID-19 cases required in population for SARS-CoV-2 RNA to be detected in wastewater?, *Journal of Environmental Sciences*, 2022, ISSN 1001-0742, <https://doi.org/10.1016/j.jes.2022.08.020>.

CORMAN, V., BLEICKER, T., BRÜNINK, S., DROSTEN, CH., LANDT, O., KOOPMANS, M., ZAMBON, M., PEIRIS, M.: Diagnostic detection of Wuhan coronavirus 2019 by real-time RT-PCR. [www.who.int](http://www.who.int) [online]. World Health Organisation, 2020-01-13 [cit. 2020-01-23]. Dostupné online.

DING, Yanqing, Li HE, Qingling ZHANG, et al.: Organ distribution of severe acute respiratory syndrome (SARS) associated coronavirus(SARS-CoV) in SARS patients: implications for pathogenesis and virus transmission pathways. *The Journal of Pathology*. 2004, 203(2), 622-630. DOI: 10.1002/path.1560. ISSN 0022-3417. Dostupné také z: <http://doi.wiley.com/10.1002/path.1560>

FUCHS, D., A. HAUSEN, M. KOFLER, H. KOSANOWSKI, G. REIBNEGGER a H.: WACHTER. Neopterin as an index of immune response in patients with tuberculosis. *Lung*. 1984, 162(1), 337-346. ISSN 0341-2040. Dostupné z: doi:10.1007/BF02715666

FUCHS, Dietmar a Magnus GISSLEN.: Laboratory diagnostic value of neopterin measurements in patients with COVID-19 infection. *Pteridines*. 2021, 32(1), 1-4. ISSN 2195-4720. Dostupné z: doi:10.1515/pteridines-2021-0001

FUCHS, Dietmar, Arno HAUSEN, Gilbert REIBNEGGER, Ernst R. WERNER, Manfred P. DIERICH a Helmut WACHTER.: Neopterin as a marker for activated cell-mediated immunity: Application in HIV infection. *Immunology Today*. 1988, 9(5), 150-155. ISSN 01675699. Dostupné z: doi:10.1016/0167-5699(88)91203-0

FUCHS, Dietmar, Günter WEISS, Gilbert REIBNEGGER a Helmut WACHTER.: The Role of Neopterin as a Monitor of Cellular Immune Activation in Transplantation, Inflammatory, Infectious, and Malignant Diseases. *Critical Reviews in Clinical Laboratory Sciences*. 2008, 29(3-4), 307-344. ISSN 1040-8363. Dostupné z: doi:10.3109/10408369209114604

Gawlik, B., Tavazzi, S., Mariani, G., Skejo, H., Sponar, M., Higgins, T., Medema, G. and Wintgens, T.: SARS-CoV-2 Surveillance employing Sewage - Towards a Sentinel System, EUR 30684 EN, Publications Office of the European Union, Luxembourg, 2021, ISBN 978-92-76-36888-5, doi:10.2760/300580, JRC125065.

GRACIA-LOR, E., CASTIGLIONI, S., BADE, R., et al.: Measuring biomarkers in wastewater as a new source of epidemiological information: Current state and future perspectives. *Environment International*., 2017, 99, p. 131–150. DOI: 10.1016/j.envint.2016.12.016. ISSN 01604120. Dostupné také z: <http://linkinghub.elsevier.com/retrieve/pii/S0160412016306936>

Greenwood, D., Slack, R. C. B., Peutherer, J.: *Lékařská mikrobiologie*, 1999, Avicenum, Grada, 686 s.

GUIBAL, Pierre, Nathalie LÉVÊQUE, Diane DOUMMAR, et al.: Simultaneous Determination of All Forms of Biopterin and Neopterin in Cerebrospinal Fluid. *ACS Chemical Neuroscience*. 2014, 5(7), 533-541. ISSN 1948-7193. Dostupné z: doi:10.1021/cn4001928

HAILEMICHAEL, Wasihun, Mulugeta KIROS, Yibeltal AKELEW, Sisay GETU a Henok ANDUALEM.: Neopterin: A Promising Candidate Biomarker for Severe COVID-19. *Journal of Inflammation Research*. 2021, 14, 245-251. ISSN 1178-7031. Dostupné z: doi:10.2147/JIR.S290264

HAMERLINCK, F. F. V.: Neopterin: a review. *Experimental Dermatology*. 1999, 8(3), 167-176. ISSN 0906-6705. Dostupné z: doi:10.1111/j.1600-0625.1999.tb00367.x

HARA, Satoshi, Tama SANATANI, Natsuo TACHIKAWA, et al.: Comparison of the levels of neopterin, CRP, and IL-6 in patients infected with and without SARS-CoV-2. *Heliyon*. 2022, 8(5). ISSN 24058440. Dostupné z: doi:10.1016/j.heliyon.2022.e09371

Hart, O. E., and Halden, R. U.: Computational analysis of SARSCoV-2/COVID-19 surveillance by wastewater-based epidemiology locally and globally: Feasibility, economy, opportunities and challenges, *Science of the Total Environment* (2020), <https://doi.org/10.1016/j.scitotenv.2020>.

HEATON, K. & kol.: Defecation frequency and timing, and stool form in the general population: A prospective study, *Gut*, 1992

Hindson, J (Hindson, Jordan): COVID-19: faecal-oral transmission? *NATURE REVIEWS GASTROENTEROLOGY & HEPATOLOGY*. DOI: 10.1038/s41575-020-0295-7, Early access iconEarly Access: MAR 2020

Hrudey S.E., Bischel H.N., Charrois J., Chik A.H.S., Conant B., Delatolla R., et al.: Wastewater surveillance for SARS-CoV-2 RNA in Canada. Royal Society of Canada. 2022 <https://rsc-src.ca/en/covid-19-policy-briefing/wastewater-surveillance-for-sars-cov-2-rna-in-canada> August 2022.

<https://www.cdc.gov/coronavirus/2019-ncov/more/science-and-research/surface-transmission.html>

Chan Martin C.W.,<sup>1</sup> Nelson Lee,<sup>1</sup> Paul K.S. Chan, K.F. To, Rity Y.K. Wong, Wing-Shan Ho, Karry L.K. Ngai, and Joseph J.Y. Sung: Seasonal Influenza A Virus in Feces of Hospitalized Adults. *Emerg Infect Dis*. 2011 Nov; 17(11): 2038–2042. doi: 10.3201/eid1711.110205

CHAN, PK; CHAN, MC.: Tracing the SARS-coronavirus. *J Thorac Dis*. Aug 2013, roč. 5, čís. Suppl 2, s. S118-21. DOI:10.3978/j.issn.2072-1439.2013.06.19. PMID 23977431

CHAUVIN, Manon, Martin LARSEN, Bibiana QUIRANT, et al.: Elevated Neopterin Levels Predict Fatal Outcome in SARS-CoV-2-Infected Patients. *Frontiers in Cellular and Infection Microbiology*. 2021, 11. ISSN 2235-2988. Dostupné z: doi:10.3389/fcimb.2021.709893

CHIN, Alex W. H., Julie T. S. CHU, Mahen R. A. PERERA, Kenrie P. Y. HUI, Hui-Ling YEN, Michael C. W. CHAN, Malik PEIRIS and Leo L. M. POON.: Stability of SARS-CoV-2 in different environmental conditions. *The Lancet Microbe*. 2020. DOI: 10.1016/S2666-5247(20)30003-3. ISSN 26665247. Dostupné také z: <https://linkinghub.elsevier.com/retrieve/pii/S2666524720300033>

Jothikumar, N., Cromeans, T. L., Sobsey, M. D., Robertson, B. H.: Development and evaluation of a broadly reactive TaqMan assay for rapid detection of hepatitis A virus. *Appl Environ Microbiol* 2005, 71: 3359- 3363

KARACAER, Cegniz, Selcug YAYLACI, Kubilay ISSEVER, et al.: The novel biomarker, neopterin, can predict the severity of COVID-19. *Eur Rev Med Pharmacol Sci*. 2022, 26(15), 5568-5573. Dostupné z: doi:10.26355/eurrev\_202208\_29428

Komenda M, Bulhart V, Karolyi M, Jarkovský J, Mužík J, Májek O, Šnajdrová L, Růžicková P, Rážová J, Prymula R, Macková B, Březovský P, Marounek J, Černý V, Dušek L.: Complex Reporting of the COVID-19 Epidemic in the Czech Republic: Use of an Interactive Web-Based App in Practice. *J Med Internet Res* 2020;22(5):e19367 doi: 10.2196/19367

Komenda M., Panoška P., Bulhart V., Žofka J., Brauner T., Hak J., Jarkovský J., Mužík J., Blaha M., Kubát J., Klimeš D., Langhammer P., Daňková Š., Májek O., Bartůňková M., Dušek L. COVID-19: Přehled aktuální situace v ČR. Onemocnění aktuálně [online]. Praha: Ministerstvo zdravotnictví ČR, 2020 [cit. 05.10.2022]. Dostupné z: <https://onemocneni-aktualne.mzcr.cz/covid-19>. Vývoj: společné pracoviště ÚZIS ČR a IBA LF MU. ISSN 2694-9423.

Komenda M., Panoška P., Bulhart V., Žofka J., Brauner T., Hak J., Jarkovský J., Mužík J., Blaha M., Kubát J., Klimeš D., Langhammer P., Daňková Š., Májek O., Bartůňková M., Dušek L.: COVID-19: Přehled aktuální situace v ČR. Onemocnění aktuálně [online]. Praha: Ministerstvo zdravotnictví ČR, 2020 [cit. 06.12.2022]. Dostupné z: <https://onemocneni-aktualne.mzcr.cz/covid-19>. Vývoj: společné pracoviště ÚZIS ČR a IBA LF MU. ISSN 2694-9423.

KORAJKIC, A. & kol.: Persistence and decay of fecal microbiota in aquatic habitats. *Microbiology and Molecular Biology Reviews.*, 2019

KWR WATER RESEARCH INSTITUTE, SOP wastewater sampling, transport, storage for SARS-CoV-2 RNA assays, available online, 2020

KWR, 2020: What we learn about the Corona virus through waste water research: [www.kwrwater.nl/en/actueel/what-can-we-learn-about-the-corona-virus-through-waste-water-research/](http://www.kwrwater.nl/en/actueel/what-can-we-learn-about-the-corona-virus-through-waste-water-research/)

Lo, IL; Lio, CF; Cheong, HH; Lei, CI; Cheong, TH; Zhong, X; Tian, YK; Sin, NN.: Evaluation of SARS-CoV-2 RNA shedding in clinical specimens and clinical characteristics of 10 patients with COVID-19 in Macau. *INTERNATIONAL JOURNAL OF BIOLOGICAL SCIENCES*. Volume: 16 Issue: 10 Pages: 1698-1707, DOI: 10.7150/ijbs.45357

Longo DL (2012). "Kapitola 187: Chřipka". *Harrisonovy principy vnitřního lékařství*(18. vydání). New York: McGraw-Hill. ISBN 978-0-07-174889-6

Medema, 2020: Sewage surveillance' may be early warning tool in fight against COVID-19, says one study – interview with Medema: <https://www.pri.org/stories/2020-04-20/sewage-surveillance-may-be-early-warning-tool-fight-against-covid-19-says-one>

Medema, G. a kol.: Presence of SARS-Coronavirus-2 in sewage. 2020, doi: <https://doi.org/10.1101/2020.03.29.20045880>

Melichar B., Krčmová, L., Kalábová, H., Svobodová, I., Dragounová, E., Vesely, P., Hyspler, R., Solichová, D. and Urbánek, L.: Urinary Neopterin in Patients with Ovarian Cancer" *Pteridines*, vol. 17, no. 4, 2006, pp. 145-153. <https://doi.org/10.1515/pteridines.2006.17.4.145>

MELVIN R.G. & kol.: Predictive power of SARS-CoV-2 wastewater surveillance for diverse populations across a large geographical range, Online, 2021

Miagostovich M. P., Ferreira F. F. M., Guimaraes F. R., Fumian T. M., Diniz-Mendes L., Luz S. L. B., Silva L. A., Leite J. P. G. (2008) Molecular detection and characterization of gastroenteritis viruses occurring naturally in the stream waters of manaus, Central Amazonia, Brazil. *Appl. Environ. Microbiol.* 74: 375–382.

Miri, SM; Roozbeh, F; Rad, AO; Alavian, SM. Panic of Buying Toilet Papers: A Historical Memory or a Horrible Truth? Systematic Review of Gastrointestinal Manifestations of COVID-19. *HEPATITIS MONTHLY*. Volume: 20 Issue: 3, Article Number: e102729, DOI: 10.5812/hepatmon.102729, Published: MAR 2020

MOLERO-LUIS, Marta, Didac CASAS-ALBA, Gabriela ORELLANA, et al.: Cerebrospinal fluid neopterin as a biomarker of neuroinflammatory diseases. *Scientific Reports*. 2020, 10(1). ISSN 2045-2322. Dostupné z: doi:10.1038/s41598-020-75500-z

MUELLER, T. F., S. O. GREBE a G. REIBNEGGER.: Role of Neopterin in Immune Monitoring in Transplant Medicine. *Chemistry and Biology of Pteridines and Folates*. Boston, MA: Springer US, 2002, 2002, 371-375. ISBN 978-1-4613-5317-1. Dostupné z: doi:10.1007/978-1-4615-0945-5\_62

MUIRHEAD, A. & kol.: Zika virus persistence in sewage. *Environmental Science & Technology Letters*, 2020

MURR, C., B. WIDNER, B. WIRLEITNER a D. FUCHS.: Neopterin as a Marker for Immune System Activation. *Current Drug Metabolism*. 2002, 3(2), 175-187. ISSN 13892002. Dostupné z: doi:10.2174/1389200024605082

MZČR 2020: [http://www.mzcr.cz/dokumenty/vyskyt-noveho-koronaviru-souvisajicim-s-tezkym-respiracnim-onemocnenim\\_6822\\_114\\_1.html](http://www.mzcr.cz/dokumenty/vyskyt-noveho-koronaviru-souvisajicim-s-tezkym-respiracnim-onemocnenim_6822_114_1.html)

MZČR, 2022: <https://onemocneni-aktualne.mzcr.cz/covid-19>

NAVARRO, R. & kol.: SARS-CoV-2 in wastewater from Mexico City used for irrigation in the Mezquital Valley: Quantification and modelling of geographic dispersion. Online, 2021

Neurath MF, Überla K, Ng SC Gut as viral reservoir: Lessons from gut viromes, HIV and COVID-19 Gut 2021;70:1605-1608.

Newell, D.G., Koopmans, M., Verhoef, L., Duizer, E., Aidara-Kane, A., Sprong, H., Opsteegh, M., Langelaar, M., Threlfall, J., Scheutz, F., van der Giessen, J., Kruse, H.: Food-borne diseases - the challenges of 20 years ago still persist while new ones continue to emerge. Int J Food Microbiol 2010;139: S3-15.

OČENÁŠKOVÁ, V.: Komunální odpadní voda jako diagnostické médium. Vodohospodářské technicko-ekonomické informace, 2018, roč. 60, č. 1, str. 28–30. ISSN 0322-8916.

ORT, C. & kol.: Sampling for PPCPs in wastewater systems: comparison of different sampling modes and optimization strategies, Environmental Science & Technology, 2010

Ozger, H.S. et al: The prognostic role of neopterin in COVID-19 patients. J Med Virol. 2021;93:1520–1525.

OZGER, Hasan Selcuk, Murat DIZBAY, Seref Kerem CORBACIOGLU, et al.: The prognostic role of neopterin in COVID-19 patients. Journal of Medical Virology. 2021, 93(3), 1520-1525. ISSN 0146-6615. Dostupné z: doi:10.1002/jmv.26472

Paola Foladori et al.: SARS-CoV-2 from faeces to wastewater treatment: What do we know? A review, Science of The Total Environment, Volume 743, 2020, 140444, ISSN 0048-9697,

Peng, L., Liu, J., Xu, W., Luo, Q., Chen, D., Lei, Z., Huang, Z., Li, X., Deng, K., Lin, B., Gao, Z., 2020. SARS-CoV-2 can be detected in urine, blood, anal swabs, and oropharyngeal swabs specimens. J. Med. Virol. 1–5. doi: 10.1002/jmv.25936 .

Peng, L., Liu, J., Xu, W., Luo, Q., Chen, D., Lei, Z., Huang, Z., Li, X., Deng, K., Lin, B., Gao, Z., 2020. SARS-CoV-2 can be detected in urine, blood, anal swabs, and oropharyngeal swabs specimens. J. Med. Virol. 1–5. doi: 10.1002/jmv.25936 .

PICOT, Stéphane, François PEYRON, Jean-Philippe VUILLEZ, et al.: Neopterin Levels in Plasma during a Longitudinal Study in an Area Endemic for Malaria. Clinical Immunology and Immunopathology. 1993, 67(3), 273-276. ISSN 00901229. Dostupné z: doi:10.1006/clin.1993.1075

Polo D, Quintela-Baluja M et al.: Making waves: Wastewater-based epidemiology for COVID-19 – approaches and challenges for surveillance and prediction. Water Research, Vol. 186, 1 Nov. 2020, 116404

Přecechtěl, F. a kol.: Lékařská mikrobiologie. Skriptum UJEP, Brno. SPN, Praha, 1988, 330 s.

RASMI, Yousef, Nadia HEIDARI, Kevser KÜBRA KIRBOĞA, et al.: The importance of neopterin in COVID-19: The prognostic value and relation with the disease severity. Clinical Biochemistry. 2022, 104, 1-12. ISSN 00099120. Dostupné z: doi:10.1016/j.clinbiochem.2022.03.002

Raymaekers et al.: Checklist for optimization and validation of real-time PCR assays. J Clin Lab Anal, 2009, 23, 145-151.

ROLLAND, D. & kol.: Sampling strategy for detecting viruses in a sewage treatment plant, Applied and Environmental Microbiology, 1983

Shaolin Yang et al.: Persistence of SARS-CoV-2 RNA in wastewater after the end of the COVID-19 epidemics, *Journal of Hazardous Materials*, 2022, 128358, ISSN 0304-3894,

SCHMIDT, Helmut, Irmgard TEGEDER and Gerd GEISLINGER.: Determination of neopterin and biopterin by liquid chromatography coupled to tandem mass spectrometry (LC-MS/MS) in rat and human plasma, cell extracts and tissue homogenates. *Protocol Exchange*. 2006. ISSN 2043-0116. Dostupné z: doi:10.1038/nprot.2006.298

SIMS, Natalie a Barbara KASPRZYK-HORDERN.: Future perspectives of wastewater-based epidemiology: Monitoring infectious disease spread and resistance to the community level. *Environment International*. 2020, 139. ISSN 01604120. Dostupné z: doi:10.1016/j.envint.2020.105689

SZÚ 2020: Státní zdravotní ústav, Centrum epidemiologie a mikrobiologie: Koronaviry – přehled, 2020

Tian, Y; Rong, L; Nian, WD; He, Y.: Review article: gastrointestinal features in COVID-19 and the possibility of faecal transmission. *View Web of Science ResearcherID and ORCID. ALIMENTARY PHARMACOLOGY & THERAPEUTICS*. Volume: 51 Issue: 9 Pages: 843-851. DOI: 10.1111/apt.15731. Published: MAY 2020

TOMANDL, Josef. Pteriny.: *Chemické listy*. Praha: Česká společnost chemická, 1998, 92(9), 689 - 697. ISSN 0009-2770.

Tuček M, Vaněček V.: COVID-19 IN THE CZECH REPUBLIC 2020 AND 2021: COMPARATIVE ANALYSIS OF PROBABLE WORK-RELATED TRANSMISSION OF THE CORONAVIRUS SARS-COV-2. *Cent Eur J Public Health* 2022; 30 (3): 201–204

Tuček: COVID\_19 in the Czech Republic 2021: Probable transmission of the coronavirus SARS-CoV2. *CEJPH*, 2021, 29,(2), 159-161.

Vašíčková, P. a kol.: VÝSKYT VÝZNAMNÝCH VIRŮ ZPŮSOBUJÍCÍCH ALIMENTÁRNÍ INFEKCE V POVRCHOVÝCH I PITNÝCH VODÁCH ČR. 2020, In: Sborník konference Vodárenská biologie 2020, Praha 5. – 6. 2. 2020, 20-24.

Wade MJ, Lo Jacomo A, Armenise E, et al.: Understanding and managing uncertainty and variability for wastewater monitoring beyond the pandemic: Lessons learned from the United Kingdom national COVID-19 surveillance programmes. *Journal of Hazardous Materials*. 2022 Feb;424(Pt B):127456.

WANG, Wenling, Yanli XU, Ruqin GAO, Roujian LU, Kai HAN, Guizhen WU a Wenjie TAN.: Detection of SARS-CoV-2 in Different Types of Clinical Specimens. *JAMA*. DOI: 10.1001/jama.2020.3786. ISSN 0098-7484. Dostupné také z: <https://jamanetwork.com/journals/jama/fullarticle/2762997>

WHO, 2020: <https://www.who.int/csr/don/24-february-2020-mers-saudi-arabia/en>

WHO, 2022: <https://covid19.who.int/>

WIRLEITNER, Barbara, Katharina SCHROECKSNADEL, Christiana WINKLER a Dietmar FUCHS.: Neopterin in HIV-1 infection. *Molecular Immunology*. 2005, 42(2), 183-194. ISSN 01615890. Dostupné z: doi:10.1016/j.molimm.2004.06.017

Wu, F., et al.: SARS-CoV-2 titers in wastewater are higher than expected from clinically confirmed cases. doi: <https://doi.org/10.1101/2020.04.05.20051540>

XIAO, Fei, Meiwen TANG, Xiaobin ZHENG, Ye LIU, Xiaofeng LI a Hong SHAN.: Evidence for Gastrointestinal Infection of SARS-CoV-2. *Gastroenterology*. 2020. DOI: 10.1053/j.gastro.2020.02.055. ISSN 00165085. Dostupné také z: <https://linkinghub.elsevier.com/retrieve/pii/S0016508520302821>

XU, Yi, Xufang LI, Bing ZHU, et al.: Characteristics of pediatric SARS-CoV-2 infection and potential evidence for persistent fecal viral shedding. *Nature Medicine*. 2020, 26(4), 502-505. DOI:

10.1038/s41591-020-0817-4. ISSN 1078-8956. Dostupné také z:  
<http://www.nature.com/articles/s41591-020-0817-4>

YEO, Charleen, Sanghvi KAUSHAL a Danson YEO.: Enteric involvement of coronaviruses: is faecal–oral transmission of SARS-CoV-2 possible?. 2020, 5(4), 335-337. DOI: 10.1016/S2468-1253(20)30048-0. ISSN 24681253. Dostupné také z: <https://linkinghub.elsevier.com/retrieve/pii/S2468125320300480>

Zdenkova K, Bartackova J, Cermakova E, Demnerova K, Dostalkova A, Janda V, Jarkovsky J, Lopez Marin MA, Novakova Z, Rumlova M, Ambrozova JR, Skodakova K, Swierczkova I, Sykora P, Vejmelkova D, Wanner J, Bartacek J.: Monitoring COVID-19 spread in Prague local neighborhoods based on the presence of SARS-CoV-2 RNA in wastewater collected throughout the sewer network. *Water Res.* 2022 Jun 1;216:118343. doi: 10.1016/j.watres.2022.118343. Epub 2022 Mar 21. PMID: 35358873; PMCID: PMC8936391.

Zhang, TQ; Cui, XJ; Zhao, X; Wang, JH; Zheng, JF; Zheng, GF; Guo, W; Cai, CQ; He, SJ; Xu, YS.: Detectable SARS-CoV-2 viral RNA in feces of three children during recovery period of COVID-19 pneumonia. *View Web of Science ResearcherID and ORCID. JOURNAL OF MEDICAL VIROLOGY.* DOI: 10.1002/jmv.25795, Early access iconEarly Access: APR 2020